PAGE 1 1998 PROFILE FOR **ASHLAND COUNTY** ----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------Activities Reported Number 10,000 Total 1998 Population Est 16,790 (Cancer incidence is for 1997) Percent Female 50.6 Primary Site Number Public Health Nursing Population per square mile 16 Rank in state 65 Total clients
Total visits 10 Breast Visits: Reason for (1=highest population density, Cervical 1 72=lowest population density.) Gen hlth promotion Colorectal 11 Infant/child hlth
Infectious & parasitic
Circulatory
Prenatal
. Lung, Trachea, & Bronchus 14 Age Female Male Total Prostate 14 0-14 1,650 1,790 3,440 Other sites 38 Postpartum WIC Participants 1,063 633 Clinic Visits 6,843 4,065 Immunization 5,901 3,505 Blood pressure 423 251 Environmental Contacts Env hazards Public health nuisance . . . School Health Vision screenings Vision screenings Hearing screenings . . . 18-44 3,140 3,200 6,350 Total COP/Wvrs 142 \$1,664,546 45-64 1,670 1,710 3,370 65+ 1,630 1,090 2,730 \$165,493 of the above Waiver costs | Health Education Total 8,500 8,280 16,790 were paid as local match/overmatch Community sessions using COP funds. This amount is Community attendance School sessions not included in above COP costs. (Poverty estimates for 1995 are included in the 1997 profiles. School attendance Poverty statistics will be updated * Waiver costs reported here after the 2000 Census.) include federal funding. Staffing - FTEs Total staff 6 3.7
Administrators 1 0.8
Public health nurses 0 0.2
Public health aides 1 0.3 ----- EMPLOYMENT -----Average wage for jobs covered Home Health Agencies by Unemployment Compensation \$23,055 Patients 292 Patients per 10,000 pop. 174 Environmental specialists . . . Note: Average wage is based on place of work, not place of residence. Nursing Homes Nursing Homes 3

abor Force Estimates Annual Average
Civilian labor force 8,078
Number employed 7,452
Number unemployed 626
Unemployment rate 7.7%
Nursing Homes 3
Licensed beds 311
LOCAL PUBLIC HEALTH FUNDING
Per

Amount Capita
Total funding \$266,165 \$15.81
Local taxes \$154,611 \$9.18 Labor Force Estimates Annual Average Civilian labor force 8,078

			NAT					
TOTAL LIVE BIRTHS		208	Birth Order	Births	Percent	Marital Status		
			First Second Third Fourth or higher Unknown	63	30	of Mother	Births	Percent
Crude Live Birth Rate	2	12.4	Second	71	34	Married	162	78
General Fertility Rat	e	58.6	Third	37	18	Not married Unknown	46 0	22
			Fourth or higher	37	18	Unknown	0	0
Live births with repo congenital anomalies	orted		Unknown	0	0			
congenital anomalies		4 . %				Education		
			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent	<u>Visit</u>	Births	Percent	Flomentary or legs	, 2	1
				167	80	Some high school High school Some college College graduate Unknown	21	10
previous cesarean	12	6	2nd trimester	39	19	High school	89	43
Forceps	1	<.5	3rd trimester	1	<.5	Some college	54	26
Other vaginal	133	64	No visits	1	< 5	College graduate	42	20
Primary cesarean	35	17	Inknown	0	`.5	Inknown	0	0
Reneat cegarean	27	12	OIDITIOWII	O	J	CITITIOMII	J	J
Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	27 0	U T.2	Number of Prenata	1		Smoking Status		
Oction of mikitowil	U U		Care visits		Pergent	of Mother	Pirthc	Domaont
Dinth Woight	Dimbb-	Domaort	Care visits	DILUIS	<u> Fer Celir</u>	Or MOCHEL	DII (IIB	Let Gette
DILTH WEIGHT	Birtns	rercent	NO VISITS	Τ	<.5	Smoker Nonsmoker Unknown	59 140	∠ŏ
<1,500 gm	0	0.0	1-4 Visits	8	4	Nonsmoker	148	/ 1
1,500-2,499 gm	11	5.3	5-9 Visits	45	22	Unknown	Τ	<.5
	1 (7.1	94.7	10-12 visits	86	41			
2,500+ gm	197		and the second s					
Unknown	0	0.0	13+ visits Unknown	68 0	33 0			
Birth Weight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0.0	13+ visits Unknown	68 0	33 0			
			Iow Right Weight		Trimost	or of First Propatal	. Visit	
			Iow Right Weight		Trimost	or of First Propatal	. Visit Other/	Unknown
			Iow Right Weight		Trimost	or of First Propatal	. Visit Other/ Births	Unknown Percent
			Iow Right Weight		Trimost	or of First Propatal	. Visit Other/ Births 2	'Unknown <u>Percent</u> 1
Race of Mother White	Total B Births P	ercent	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9	1st Tri Births	Trimest imester <u>Percent</u> 81	er of First Prenatal 2nd Trimester Births Percent 32 18	Other/ Births	Unknown Percent
Race of Mother White Black	Total B Births P	ercent	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9	1st Tri Births	Trimest imester <u>Percent</u> 81	er of First Prenatal 2nd Trimester Births Percent 32 18	Other/ Births	Unknown Percent 1
Race of Mother White Black Other	Total B Births P	ercent	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9	1st Tri Births	Trimest imester <u>Percent</u> 81	er of First Prenatal 2nd Trimester Births Percent 32 18	Other/ Births	Unknown Percent 1 .
Race of Mother White Black	Total B Births P 182 0 26 0	ercent 88 0 13 0	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7	1st Tri <u>Births</u> 148 19	Trimest imester <u>Percent</u> 81 73	er of First Prenatal 2nd Trimester Births Percent 32 18	Other, Births 2	
Race of Mother White Black Other	Total B Births P 182 0 26 0	ercent 88 0 13 0	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7	1st Tri <u>Births</u> 148 19	Trimest imester <u>Percent</u> 81 73	er of First Prenatal 2nd Trimester Births Percent 32 18	Other, Births 2	
Race of Mother White Black Other	Total B Births P 182 0 26 0	ercent 88 0 13 0	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 Low Birth Weight (under 2,500 gm)	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester	Other/Births 2	'Unknown
Race of Mother White Black Other	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest	er of First Prenatal 2nd Trimester Births Percent 32 18	Other/Births 2	'Unknown
Race of Mother White Black Other Unknown	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown
Race of Mother White Black Other Unknown	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimest imester Percent 81 . 73 . Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births P 182 0 26 0	ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimestimester Percent 81 . 73 . Trimestimester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births P 182 0 26 0 Fe Births 4 13 46 64 43	sirths ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimestimester Percent 81 . 73 . Trimestimester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 182 0 26 0 Fe Births 4 13 46 64 43	sirths ercent 88 0 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimestimester Percent 81 . 73 . Trimestimester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	'Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Total B Births P 182 0 26 0 Fe Births 0 4 13 46 64 43 35 3	### State	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimestimester Percent 81 . 73 . Trimestimester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	Unknown Percent
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 182 0 26 0 Fe Births 4 13 46 64 43	### State	Low Birth Weight (under 2,500 gm) Births Percent 9 4.9 2 7.7 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 148 19	Trimestimester Percent 81 . 73 . Trimestimester Percent	er of First Prenatal 2nd Trimester Births Percent 32 18 7 27 er of First Prenatal 2nd Trimester Births Percent	Other/Births 2	Unknown Percent

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 185 Selected Crude Death Rate 1,102 Underlying Cause Deaths Rate Campylobacter Enteritis <5 Giardiasis Heart Disease (total) 61 363 6

 Age

 1-4
 .

 0
 5-14

 <5</td>
 15-19

 0
 20-34

 0
 35-54

 0
 55-64

 0
 65-74

 0
 75-84

 <5</td>
 85+

- Rate Coronary heart disease 47 280
Cancer (total) 38 226
Lung 10 .
Colorectal 6 .
Female breast 1 .*
Cerebrovascular Disease 18 . Hepatitis Type A
Hepatitis Type B**
Hepatitis NANB/C*** Legionnaire's Lyme Measles Meningitis, Aseptic
Meningitis, Bacterial
Mumps
Pertussis Chron Obstr Pulmonary 8
Pneumonia & Influenza 13
Injuries 7 Injuries Motor vehicle 3
Diabetes 3 Salmonellosis Infectious & Parasitic 4 Shiqellosis Tuberculosis Suicide * 1998 provisional data** Includes all positive HBsAg Mortality Deaths Rate * Rate for female breast cancer based Total Infant on female population. test results Neonatal Neonatal .
Postneonatal .
Unknown . *** Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease Chlamydia Trachomatis 17
Genital Herpes <5
Gonorrhea <5 Race of Mother Alcohol Alcohol 2
Other Drugs 3
Both Mentioned . White . Black . . . Other Unknown Nongonococcal Cervicitis 0
Nongonococcal Urethritis 0
Syphilis 0 ----- MOTOR VEHICLE CRASHES -----Birth Weight Note: These data are based on location ----- IMMUNIZATIONS ----of crash, not on residence. Children in Grades K-12 by Type of Motor Persons Persons

Vehicle Crash Injured Killed Compliance Level Compliant 3,512
Non-compliant 35
Percent Compliant 99.0 Total Crashes 123 Alcohol-Related 17 With Citation: Perinatal For OWI 6 0
For Speeding 3 0
Motorcyclist 5 0
Bicyclist 1 0
Pedestrian 5 1 Mortality Deaths Rate Total Perinatal 1 .
Neonatal . .
Fetal 1 .

------ HOSPITALIZATIONS ------

DISEASE /		Per 1,000	Average Stay	Average	Charge Per	ALIZATIONS DISEASE /		Per 1,000	Average Stay	Average	Charge Per		
AGE GROUP	Number	Pop	(Days)	Charge	<u>Capita</u>	AGE GROUP	Number	Pop	(Days)	Charge	<u>Capita</u>		
Injury-Related	l: All					Alcohol-Relate	ed						
Total	101	6.0	4.4	\$7,301	\$44	Total	112	6.7	7.1	\$4,424	\$30		
<18	10	0.0		ψ,,30±	Ψ	18-44	73	11.5	6.4	\$3,894	\$45		
18-44	22	3.5	3.0	\$6,327	\$22	45-64	25	7.4	9.0	\$5,657	\$42		
45-64	20	5.9	5.2	\$8,251	\$49	Pneumonia and		, . 1	٥.0	φυ, συτ	Ų 12		
65+	49	17.9	5.1	\$7,866	\$141	Total	68	4.0	4.5	\$5,372	\$22		
Injury: Hip		17.9	3.1	\$7,000	9141	<18	5			33,374	Ş <u>Z</u> <u>Z</u>		
Total	14					45-64	7	•	•	•	•		
		•	•	•	•		49	17.0		45 051	\$91		
65+	. 14	•	•	•	•	65+		17.9	4.4	\$5,051	\$9I		
Injury: Pois	_					Cerebrovascula		0 6	4 6	#E 010	410		
Total	5	•	•	•	•	Total	44	2.6	4.6	\$7,219	\$19		
18-44	2	•	•	•	•	45-64	5						
						65+	. 39	14.3	4.5	\$7,242	\$103		
Psychiatric						Chronic Obstru		_					
Total	171	10.2	5.7	\$5,131	\$52	Total	44	2.6	3.3	\$4,311	\$11		
<18	36	8.3	6.2	\$5,659	\$47	<18	8						
18-44	88	13.8	5.1	\$4,607	\$64	18-44	3				•		
45-64	28	8.3	5.9	\$5,181	\$43	45-64	9	•		•	•		
65+	19	•				65+	24	8.8	3.9	\$5,206	\$46		
						Drug-Related							
Coronary Heart	Disease					Total	3	_	_	_	_		
Total	78	4.6	3.4	\$7,843	\$36	18-44	1	_		_			
45-64	22	6.5	2.0	\$8,430	\$55								
65+	54	19.8	4.0	\$7,602	\$150	Total Hospital	izations						
051	51	17.0	1.0	Ų1,00 <u>2</u>	Q130	Total	1,820	108.4	4.1	\$5,453	\$591		
Malignant Neop	Jaeme (Ca	ncere).	- Δ11			<18	292	67.4	2.9	\$2,483	\$167		
Total	54	3.2		\$10,821	\$35	18-44	524	82.4	3.6	\$4,290	\$354		
18-44	4		•	910,021		45-64	296	87.9	4.4	\$6,895	\$606		
45-64	11	•	•	•	•	65+	708	259.1	4.7	\$6,936	•		
		12.0	· 1	č10 01 <i>4</i>	61EO	05+	700	239.1	4.7	30,930	Ş1,191		
	65+ 38 13.9 6.4 \$10,914 \$152						PREVENTABLE HOSPITALIZATIONS*						
Neoplasms: Female Breast (rates for female population) Total 5						1							
			•	•	•	Total	293	17.4	4.0	\$5,122	\$89		
Neoplasms: C		т.				<18	27	6.2	1.9	\$2,139	\$13		
Total	9	•	•	•	•	18-44	32	5.0	2.3	\$3,311	\$17		
65+	7	•	•	•	•	45-64	66	19.6	4.7	\$6,399	\$125		
Neoplasms: I						65+	168	61.5	4.4	\$5,445	\$335		
Total	5	•	•	•	•	* Hospitalization							
						ambulatory care o							
Diabetes						The definition of preventable hospitalizations in 1998							
Total	36	2.1	5.6	\$7,282	\$16	is consistent with the 1997 definition.							
65+	12	•		•		Please refer to t							
						1997 report for an explanation of the change made between							
						1996 and 1997.	-			-			